



CoilCore

# GUANGZHOU AMORPHOUS ELECTRONIC TECHNOLOGY CO.,LTD

## Case List

No.	Bare Core Size (OD*ID*H) (mm)	Sealing	Material	Color	Case Inner Space (mm) ±0.1	Case Size (mm) ±0.1	Gross weight (g)
1	9.8*6.5*4.5	Middle	PBT	Black/White	Φ10.10*Φ6.18*5.04	Φ11.3*Φ5.00*6.04	0.6
2	10*7*4.5	Top	PBT	White	Φ10.5*Φ6.7*4.8	Φ5.8*Φ11.4*5.8	0.8
3	12*10*4.5	Top	PBT	White	Φ12.8*Φ9.9*5.6	Φ14.1*Φ8.6*6.9	1.2
4	12*8*4.5	Top	PBT	Black	Φ12.55*Φ7.7*4.9	Φ14*Φ6.65*6.1	0.8
5	12*8*5 Old Mold	Middle	PBT	Black/White	Φ12.65*Φ7.8*5.5	Φ14.35*Φ6.5*6.9	0.6
6	12*8*5 New Mold	Middle	PBT	White	Φ12.65*Φ7.8*5.5	Φ14.35*Φ6.5*7.1	0.8
7	13*9.5*5	Top	PBT	Black/White	Φ13.5*Φ9.28*5.5	Φ14.68*Φ8.18*6.47	0.5
8	13*9.5*5 Big Case	Middle	PBT	White	Φ13.6*Φ9.2*5.4	Φ14.6*Φ8*6.5	0.5
9	13*9.5*5 Small Case	Middle	PBT	White	Φ13.45*Φ9.2*5.4	Φ14.4*Φ8.4*6.6	0.5
10	13.2*9.6*10	Middle	PBT	Black/White	Φ13.8*Φ9.3*10.3	Φ13.2*Φ8.35*11.76	1.0
11	13.5*11.5*5	Middle	PBT	White	Φ14*Φ11*5.6	Φ15.2*Φ9.8*6.9	0.6
12	14.8*13.2*3.2	Middle	PBT	Black	Φ15.78*Φ12.7*3.75	Φ16.56*Φ11.4*5.15	0.7
13	14.9*11.5*3.5	Middle	PBT	Black	Φ15.2*Φ11.2*3.8	Φ16.6*Φ9.8*4.9	0.8
14	15*10*5	Middle	PBT	White	Φ15.6*Φ9.4*6.3	Φ16.95*Φ8.3*6.7	1.0
15	15*10*6 Top	Top	PBT	Black/White	Φ15.45*Φ9.64*6.37	Φ16.52*Φ8.8*7.5	0.7
16	15*10*6	Middle	PBT	Black	Φ15.5*Φ9.5*6.6	Φ16.6*Φ8.2*7.8	0.8
17	16*10*8	Middle	PBT	Black/White	Φ16.5*Φ9.75*8.5	Φ17.6*Φ8.58*9.8	1.2
18	16.9*12.3*6.5	Middle	PBT	White	Φ17.53*Φ11.89*6.9	Φ19.26*Φ10.7*8.13	1.0
19	17.5*12.5*6	Top	PBT	Black/White	Φ17.88*Φ12.1*6.67	Φ19.07*Φ10.76*8.05	0.8
20	17.8*13*5	Middle	PBT	Black/White	Φ18.35*Φ12.50*5.5	Φ19.5*Φ11.5*6.45	0.8
21	17.8*13*5 Split type	Top	PBT	White	18.4*12.9*5.35	19.52*11.65*6.45	0.8
22	18*11*10	Middle	PBT	Black/White	Φ18.4*Φ10*10.4	Φ20.35*Φ8.9*12.05	1.8
23	18*11*10 Speical	Middle	PBT	Grey	Φ18.45*Φ10.2*10.4	Φ20*Φ8.6*12	1.6
24	18*11*8 New Mold	Middle	PBT	White	Φ17.94*Φ10.48*8.4	Φ19.94*Φ9.06*9.54	1.0
25	18*11*8 Old Mold	Middle	PBT	Black/White	Φ18.45*Φ10.65*8.55	Φ20.3*Φ9.1*9.56	1.4
26	18*14*5	Middle	PBT	White	Φ18.3*Φ13.6*5.4	Φ19.7*Φ12.25*6.7	0.8
27	Special Vehicle Core Case	Middle	FR50	Rice White	Φ19.73*Φ12.52*14.46	Φ22.92*Φ11.45*16.58	5.0
28	18.5*13*5 Common	Middle	PBT	White	Φ19.21*Φ12.41*6.5	Φ21.13*Φ10.9*7.3	1.2
29	18.5*13*5 Special	Middle	PBT	White	Φ19.21*Φ12.41*6.5	Φ21.13*Φ10.9*7.3	1.2
30	18*12*4.5 Small case	Top	PBT	White	18.65*11.6*5	19.9*10.4*6.48	1.0
31	18*12*4.5 Big case	Top	PBT	White	18.7*11.75*5	20.2*10.45*6.45	1.0
32	19*14*8	Middle	PBT	Black/White	Φ20.4*Φ13.4*8.6	Φ22.7*Φ12*9.8	1.8
33	19*15*5	Top	PA66	White	Φ19.8*Φ14.5*5.7	Φ21*Φ13.3*7.2	1.0
34	19*17*5	Top	PBT	White	Φ19.5*Φ16.4*5.5	Φ21.1*Φ14.7*6.9	1.0
35	20*12*10	Middle	PBT	Black/White	Φ20.6*Φ11.64*11	Φ22.95*Φ10.2*12.50	2.2
36	20*12*8	Middle	PBT	Black/White	Φ20.5*Φ11.8*8.5	Φ22.2*Φ10.7*10.1	1.6
37	20*14*10 Big Case	Middle	PBT	White	Φ20.65*Φ13.5*10.5	Φ22.7*Φ12.2*11.8	2.0
38	20*14*10 Small Case	Middle	PBT	Black/White	Φ20.65*Φ13.5*10.5	Φ22.7*Φ12*11.8	2.0
40	20*14*5	Middle	PBT	Black/White	Φ21.17*Φ13.49*5.73	Φ22.71*Φ12.46*6.51	1.0
41	21*14*8	Middle	PBT	Black/White	Φ21.5*Φ13.6*8.36	Φ23.05*Φ12.50*9.6	1.5
42	21*15*10 Middle	Middle	PBT	Black/White	Φ21.6*Φ14.3*10.9	Φ23.75*Φ12.9*12.3	2.2
43	21*15*10	Top	PBT	White	Φ21.5*Φ14.4*10.45	Φ23.5*Φ12.9*12.3	2.4
44	21*15*8	Middle	PBT	Black	Φ22*Φ14.7*8.9	Φ23.7*Φ13.6*10.4	1.8
45	21*16*10 Big case	Middle	PBT	Black/White	Φ22.2*Φ14.7*10.8	Φ23.76*Φ13.55*12.25	2.0
46	21*16*10D Middle	Middle	PBT	Black/White	Φ23.1*Φ15.1*10.6	Φ25*Φ13.7*11.9	2.2
47	21*16*10D	Top	PBT	White	Φ23.5*Φ14.9*10.6	Φ24.9*Φ13.9*11.8	2.4
48	21*16*10 Small Case	Middle	PBT	White	Φ22.2*Φ14.7*10.5	Φ23.76*Φ13.55*11.9	1.8
49	21.5*13.2*10	Middle	PBT	Black/White	Φ22.1*Φ12.5*10.9	Φ24.1*Φ11.6*12.6	2.4
50	22*15*8	Middle	PBT	Black/White	Φ23.0*Φ14.5*8.5	Φ24.5*Φ13.0*9.5	1.6
51	22*17*10	Top	PBT	Black	Φ23.2*Φ16.5*10.8	Φ24.5*Φ15.5*12.5	1.5
52	22*17*10D	Middle	PBT	White	Φ23*Φ16.35*11	Φ24.75*Φ15.5*12.3	2.1
53	22*17*6.5 Black Bottom White Cover	Top	PBT	Black/White	Φ22.5*Φ16.6*7.1	Φ23.7*Φ15.8*8.3	1.2
54	22*17*6.5 #87 Plate	Top	PBT	White	Φ22.3*Φ16.7*6.85	Φ23.7*Φ15.7*8.2	1.2
55	22*17*6.5 #48 Plate	Top	PBT	Black	Φ22.3*Φ16.7*6.7	Φ23.72*Φ15.7*8.1	1.2
56	22*17*7	Middle	PET	Yellow	Φ24.09*Φ15.36*9.98	Φ22.06*Φ17.23*8.2	2.0
57	22.8*17*3	Top	PBT	Black/White	Φ22.87*Φ14.83*5.24	Φ23.35*Φ16.67*4.56	1.1
58	23*16*10	Middle	PBT	White	Φ23.5*Φ15.4*10.9	Φ25.2*Φ14*12.5	2.2

B#A-4,Zhuangyuan Industry Park, No. 186 Qishan Road, Tianhe district, Guangzhou

Tel: +86-20-85649266 Fax:+8620-85649263



## Case List

No.	Bare Core Size (OD*ID*H) (mm)	Sealing	Material	Color	Case Inner Space (mm) ±0.1	Case Size (mm) ±0.1	Gross weight (g)
59	23*16*6	Middle	PBT	White	Φ23.6*Φ15.6*6.7	Φ25*Φ14.2*8.1	1.4
60	23*16*8	Middle	PBT	Black/White	Φ23.3*Φ15.45*9.05	Φ24.9*Φ14.1*10.8	1.8
61	23*17*6	Middle	PBT	White	Φ24.77*Φ15.56*8.67	Φ23.28*Φ16.25*6.9	2.0
62	23*18.5*8	Middle	PBT	White	Φ23.5*Φ18.1*9.1	Φ24.95*Φ16.6*10.95	2.0
63	23*19*9	Top	PBT	Black	Φ24.1*Φ18*9.2	Φ25.1*Φ16.9*10.5	1.8
64	23.1*17.6*6.5	Top	PBT	Black/White	Φ23.84*Φ17.08*6.99	Φ25.04*Φ15.6*8.2	1.5
65	24*15*15	Middle	PBT	Black/White	Φ24.8*Φ14.35*15.9	Φ26.7*Φ13.15*17.2	3.0
66	24*17*20	Middle	PBT	White	Φ27.5*Φ16.5*20.7	Φ27.6*Φ15.2*23	5.0
67	24*17*8	Middle	PBT	White	Φ26.5*Φ15.3*9.8	Φ25*Φ16.1*8.4	2.0
68	24*18*10	Middle	PBT	Black/White	Φ24.95*Φ17.4*10.76	Φ26.8*Φ16.0*12.4	2.6
69	25*13*17	Middle	PBT	Black/White	Φ25.40*Φ12.8*16.4	Φ26.90*Φ11.60*18.00	3.0
70	25*15*10 With clapboard	Top	FR50	Black	Φ26.3*Φ14.4*10.4	Φ27.9*Φ13.3*12.5	3.2
71	25*15*13	Middle	PBT	White	Φ26.05*Φ12.9*15.7	Φ27.8*Φ11.9*17.7	3.6
72	25*15*13 With clapboard	Top	PBT	Black/White	Φ25.62*Φ14.76*13.48	Φ27.3*Φ12.97*15.08	3.4
73	25*16*10	Middle	PBT	Black/White	Φ25.85*Φ15.45*10.9	Φ27.46*Φ13.84*12.20	2.6
74	25*16*10 Top Cover	Top	BASF	Red	26.5*15.2*11.1	28.3*13.8*12.9	2.4
75	25*16*10 Top Cover	Top	BASF	Red	27.25*14.48	Thickness 0.96	0.6
76	25*16*10 Top Cover	Top	BASF	Red	35.28*32.45	Height 7.58	3.6
77	25*16*10 Plugboard	Top	BASF	Red	14.27*13.43	Thickness 2.93	0.5
78	25*16*10 Protecting case	Middle	PBT	White	Φ26.5*Φ15.3*10.8	Φ28.9*Φ13.9*12.8	4.0
79	25*16*10 Base Middle	Middle	PBT	White	Hole Distance 15.7*18.1	26.29*19.97	1.3
80	25*16*10 with clapboard	Middle	PBT	White	16.69*13.70	Thickness 1.05	0.4
81	25*17*10	Middle	PBT	Black/White	Φ25.85*Φ16.5*11.1	Φ28.0*Φ15.2*12.45	2.8
82	25*18*12	Middle	PBT	Black	Φ25.9*Φ16.45*12.7	Φ27.2*Φ14.9*14.2	2.4
83	25*18*9	Middle	PBT	White	Φ26.5*Φ16.6*10.5	Φ25.3*Φ17.8*9.3	1.8
84	25*19*8	Top	PBT	White	Φ25.8*Φ18.4*8.5	Φ26.95*Φ17.2*9.8	1.8
85	25*20*10	Top	PBT	White	Φ25.8*Φ19.2*10.45	Φ27.9*Φ17.3*12.45	3.2
86	25*20*6	Middle	PBT	Black/White	Φ25.61*Φ19.47*6.42	Φ27.32*Φ17.94*8.0	1.9
87	25*15*4 Strengthen	Middle	PBT	White	Φ26.61*Φ13.42*6.15	Φ25.24*Φ14.62*5.03	1.4
88	26*16*10	Top	PBT	Black/White	Φ26.65*Φ15.60*10.59	Φ28.4*Φ13.90*12.95	3.4
89	26*16*8	Middle	PBT	Black/White	Φ26.25*Φ15.4*8.77	Φ13.8*Φ28.1*10.30	2.5
90	26*19*10	Middle	PBT	White	Φ26.8*Φ18.2*10.7	Φ28.85*Φ16.7*12.5	3.2
91	26*19*6.5	Top	PBT	Black/White	Φ27*Φ18.75*7.19	Φ28.34*Φ17.32*8.35	1.6
92	27*19*12	Middle	PBT	Black/White	Φ27.4*Φ18.50*12.4	Φ29*Φ16.95*13.7	2.8
93	27*19*8	Middle	PBT	Black/White	Φ27.6*Φ18.2*8.45	Φ29.4*Φ16.7*9.6	2.0
94	28*16*25	Top	PBT	White	Φ28.8*Φ15.2*25.6	Φ30.8*Φ13.6*27.75	7.0
95	28*17*10	Middle	PBT	White	Φ28.8*Φ16.8*10.65	Φ32.5*Φ15*13.7	3.5
96	28*17*10 Partition	Middle	PBT	White	16.06*15.50	Thickness 1.28	0.5
97	28*17*10 Base	Middle	PBT	White	Base Φ1.5 27.5*24.5	18*22	2.2
98	28*17*8	Middle	PBT	Black/White	Φ28.4*Φ16.8*8.75	Φ29.9*Φ15.4*10.35	2.6
99	28*18*10	Middle	PBT	White	Φ31.5*Φ15*12.5	Φ28.7*Φ16.8*11	4.5
100	28*18*10 Base	Middle	PBT	White	Base Φ1.5 *22.1*18	26.18*22.8	2.1
101	28*18*10 Partition	Middle	PBT	White	15.25*15.38	Thickness 1.07	0.4
102	28*18*15	Middle	PBT	White	Φ30.1*Φ16.2*17	28.3*17.5*15.6	3.8
103	28*18*15	Middle	PBT	White	Φ30.04*Φ16.03*17.47	Φ28.26*Φ17.51*16.2	4.0
104	28*19*10	Top	FR52	White	Φ28.36*Φ18.25*10.45	Φ30.08*Φ16.65*12.6	4.5
105	28*19*12	Top	PET	Light Yellow	Φ28.7*Φ18*12.2	Φ30.7*Φ16.5*14.2	3.8
106	29*20*8	Middle	PBT	Black/White	Φ30.16*Φ19.35*8.65	Φ32.0*Φ18.03*9.9	2.8
107	29*21*10	Middle	PBT	Black/White	Φ29.66*Φ20.48*11.26	Φ32.15*Φ18.87*13.28	4.0
108	29*21*6.5	Top	PBT	Black/White	Φ29.66*Φ20.4*7.06	Φ31.15*Φ19*8.4	2.0
109	29*23.5*5	Middle	PBT	Black/White	Φ29.5*Φ22.68*5.57	Φ31.1*Φ20.98*7.18	2.0
110	30*20*10 Middle	Middle	PBT	Black/White	Φ31.06*Φ19.42*10.9	Φ32.66*Φ17.75*12.5	3.8
111	30*20*10 Middle	Middle	PBT	Black/White	Φ30.64*Φ19.14*11.43	Φ33.75*16.82*13.7	5.9
112	30*20*10	Top	PBT	Black/White	Φ30.5*Φ19.3*10.65	Φ32.44*Φ17.75*12.35	3.5
113	30*20*8	Middle	PBT	Black/White	Φ30.8*Φ19.5*8.7	Φ32.85*Φ18.1*9.95	2.8
114	T30*20*15 Top Cover	Top	PBT	White	34*16.9*18	31.5*18.9*15.6	5.0
115	30*20*15	Middle	PBT	Black/White	31.2*19.2*15.9	33.5*17.7*17.9	5.5
116	30.5*20*15.5	Middle	PBT	White	31.5*19.6*15.8	35.8*17.6*18.2	10.5
117	T30.5*20*15 Top Cover	Top	PBT	White	31.5*18.7*15.5	33.9*16.9*17.95	6.5
118	30.5*20*15	Middle	PBT	White	31.5*18.9*16	35.78*16.3*18.2	8.0
119	30.5*20*15 Base	Middle	PBT	White	Distance Φ1.95*22*23.9	Base 28*32	4.0
120	30.5*20*15 Partition	Middle	PBT	White	21.12*16.68	Thickness 1.47	0.9



CoilCore

# GUANGZHOU AMORPHOUS ELECTRONIC TECHNOLOGY CO.,LTD

## Case List

No.	Bare Core Size (OD*ID*H) (mm)	Sealing	Material	Color	Case Inner Space (mm) ±0.1	Case Size (mm) ±0.1	Gross weight (g)
121	31.7*23*8	Middle	PBT	White	32.2*22.2*8.5	33.7*20.9*9.9	2.8
122	32*20*10B-B Base	Middle	PBT	White	Base Φ1.75* 21.8*17.8	28.5*24.5	2.8
123	32*20*10E Partition Base		PBT	White	Base Φ1.4* 18*22	27*24	2.6
124	32*20*10 Base		PBT	White	39*26*1.5	Φ1.3 16.5*30	3.0
125	32*20*10 Base		PBT	White	24.5*22	Φ1.35*18*22 (Hole Size & distance)	3.0
126	32*20*10	Middle	PBT	Black/White	Φ32.6*Φ19.0*11.3	Φ34.3*Φ17.40*12.9	4.0
127	32*20*10 Strengthen	Middle	PBT	White	Φ32.37*Φ18.76*11.65	Φ35.38*Φ16.5*12.85	6.0
128	32*20*10 Partition Base A	A	PBT	Antai	BaseΦ2.0 *24 *22	32*28	3.7
129	32*20*10 Partition Base B	B	PBT	Hisense	BaseΦ1.4* 21*17	28.5*24.5	3.6
130	32*20*10 Partition Base C	C	PBT	Oaks	BaseΦ1.4*22*18	31*26	4.5
131	32*20*10 Partition Base YMX		PBT	YMX	BaseΦ2.0*24*22	32*28	4.4
132	32*20*10 Partition Base		PBT	Cloud road	BaseΦ2.0*24*22	32*28	4.4
133	32*20*10 Partition Base		PBT	Tamura	BaseΦ2.0*24*22	32*28	4.5
134	32*20*10 Base		PBT	Shoichi	BaseΦ2.0*22*18	28*24	2.5
135	32*20*10	Middle	PBT	White	32.3*19.4*11.5	34.5*17.9*12.9	4.0
136	32*20*10H	Middle	PBT	White	34.51*17.88*12.84	31.93*19.69*11.44	4.0
137	UT32*20*10	Middle	PBT	Blue	34.16*17.88*12.92	31.99*19.40*10.96	4.3
138	32*26*5	Middle	PBT	White	35.2*25.3*5.5	34.9*23.7*7.5	3.5
139	32.8*24.4*6.5	Top	PBT	Black/White	Φ33.25*Φ24.06*7.07	Φ34.7*Φ22.9*8.45	2.4
140	33*21*15	Top	PBT	Black	33.4*20.25*16.63	Φ35.1*Φ18.73*17.36	5.0
141	33*23*15 Top Cover	Top	PBT	White	33.6*22.4*15.5	35.9*20.85*18	6.0
142	33*23*15 Three Phase		PBT	White	28*30		3.5
143	33*24*25	Middle	PBT	Black	33.8*23*25.4	36.8*21.5*28.6	11.0
144	35*20*30	Middle	PBT	Black	36.2*19*32	38.5*17*33.1	9.0
145	35*20*30	Middle	PBT	White	36.2*19*32	38.5*17*33.1	9.0
146	36*32*7	Top	PBT	White	37.35*29.43*8.26	36.43*30.44*6.88	2.5
147	36*19*13	Middle	PBT	White	39.06*15.97*15.85	36.2*18.5*13.65	8.2
148	36*19*13 Base	Middle	PBT	White	Base Hole 1.4*22*17.9	27.37*24.61	3.0
149	36*19*13 Partition	Middle	PBT	White	21.78*16.04	Thickness 1.18	0.8
150	36*30*6.5	Middle	PBT	Black	36.8*29.5*6.5	38.5*28.1*8.2	2.8
151	37*23*15	Middle	PBT	Black	37.5*22.5*16	42.6*19.8*18.2	11.0
152	37*23*15 Partition	Middle	PBT	Black	21.40*19.75	Thickness 1.53	1.0
153	37*23*15 Top Cover	Middle	PBT	Black	Base Hole Φ2.3*24*22	28*32	4.0
154	37*30*6.5	Top	PBT	Black/White	Φ37.8*Φ29.5*7	Φ39.18*Φ28.0*8.38	2.6
155	37.6*32*6.5	Top	PBT	Black/White	Φ38.10*Φ31.45*6.9	Φ39.6*Φ30*8.26	2.8
156	38*30*7 Top Cover	Top	PBT	White	Φ38.3*Φ30*7	Φ39.6*Φ29*8.35	3.2
157	38*24*15	Middle	FR530	Yellow	Φ37.66*23.86*15.43	Φ40.84*Φ21.09*18.43	11.0
158	38.1*30.4*6.5	Top	PBT	Black/White	Φ38.6*Φ30.3*6.7	Φ40.3*Φ28.75*8.4	3.0
159	39.1*30.8*6.5	Top	PBT	Black/White	Φ39.8*Φ30.7*7	Φ41.36*Φ29.0*8.36	3.2
160	40*25*10	Middle	PBT	White	41*24.4*11.1	43.6*22.4*14.3	9.0
161	40*25*15	Middle	PBT	White	40.2*24.5*15.9	43*22.4*18.2	12.0
162	40*25*15	Middle	PBT	Black	41*24.8*15.8	44.5*21.7*18.7	12.3
163	40*25*15 Base	Middle	PBT	Black	Base HoleΦ2.45*16*23	Base 32*44.7	3.8
164	40*25*15 Partition	Middle	PBT	Black	22.21*21.82	Thickness 1.26	1.0
165	40*30*3	Middle	PBT	Red	42.4*Φ27.85*4.8	40.85*29.5*3.2	2.8
166	40*32*15 Base		PBT	White	56.98*34.18	Height 6.4	4.8
167	40*32*15 Three Phase Partition		PBT	White	34*57		4.5
168	45*30*15 PBT	Top	PBT	Black/White	Φ45.6*Φ29.35*15.5	Φ47.8*Φ27.45*17.95	10.0
169	45*30*15 PET	Top	PET	Light Yellow	Φ45.6*Φ29.35*15.5	Φ47.8*Φ27.45*17.7	11.0
170	46*28*29	Middle	PBT	White	Φ48*Φ26.6*29.5	Φ51.1*Φ24.8*33.2	23.0
171	50*32*15	Middle	PA66	Black	Φ50.42*Φ30.7*15.6	Φ53.2*Φ29*18.4	12.5
172	50*32*20	Middle	PBT	Black	Φ49.7*Φ31*21	Φ53.4*Φ28.3*24.3	20.0
173	53*30*50	Middle	PBT	Black	Φ54.4*Φ28.7*50.6	Φ56.8*Φ26.5*53.2	31.5
174	60*35*20 Partition Base	Middle	PBT	Black/White	Φ60.7*Φ33.8*21.6	Φ64.07*Φ31.3*24.9	40.8
175	60*48*15	Middle	PBT	Black/White	Φ61.58*Φ48.3*16	Φ64.12*Φ46*18.8	16.0
176	63*54.5*31	Middle	PBT	Black/White	Φ63.8*Φ53.5*32.8	Φ66*Φ51.52*35.1	23.0
177	64*40*20	Middle	PA66	Black	Φ63.8*Φ38.9*20	Φ67.5*Φ35*25	30.0
178	80*50*40 Three Phase	Middle	PET	White	Φ81.5*Φ48.5*41	Φ86*Φ45.5*45	25.0
184	22*9*8 Leakage transformer case		PBT	Blue/Yellow	Φ20.9*Φ10*7.6	Φ22*Φ9.3*8.3	1.0

### Case List

---- Case Range: 0 mm <OD <20mm

No.	Bare Core Size (OD*ID*H) (mm)	Sealing	Material	Color	Case Inner Space (mm) ±0.1	Case Size (mm) ±0.1	Gross weight (g)
1	9.8*6.5*4.5	Middle	PBT	Black/White	Φ10.10*Φ6.18*5.04	Φ11.3*Φ5.00*6.04	0.6
2	10*7*4.5	Top	PBT	White	Φ10.5*Φ6.7*4.8	Φ5.8*Φ11.4*5.8	0.8
3	12*10*4.5	Top	PBT	White	Φ12.8*Φ9.9*5.6	Φ14.1*Φ8.6*6.9	1.2
4	12*8*4.5	Top	PBT	Black	Φ12.55*Φ7.7*4.9	Φ14*Φ6.65*6.1	0.8
5	12*8*5 Old Mold	Middle	PBT	Black/White	Φ12.65*Φ7.8*5.5	Φ14.35*Φ6.5*6.9	0.6
6	12*8*5 New Mold	Middle	PBT	White	Φ12.65*Φ7.8*5.5	Φ14.35*Φ6.5*7.1	0.8
7	13*9.5*5	Top	PBT	Black/White	Φ13.5*Φ9.28*5.5	Φ14.68*Φ8.18*6.47	0.5
8	13*9.5*5 Big Case	Middle	PBT	White	Φ13.6*Φ9.2*5.4	Φ14.6*Φ8*6.5	0.5
9	13*9.5*5 Small Case	Middle	PBT	White	Φ13.45*Φ9.2*5.4	Φ14.4*Φ8.4*6.6	0.5
10	13.2*9.6*10	Middle	PBT	Black/White	Φ13.8*Φ9.3*10.3	Φ13.2*Φ8.35*11.76	1.0
11	13.5*11.5*5	Middle	PBT	White	Φ14*Φ11*5.6	Φ15.2*Φ9.8*6.9	0.6
12	14.8*13.2*3.2	Middle	PBT	Black	Φ15.78*Φ12.7*3.75	Φ16.56*Φ11.4*5.15	0.7
13	14.9*11.5*3.5	Middle	PBT	Black	Φ15.2*Φ11.2*3.8	Φ16.6*Φ9.8*4.9	0.8
14	15*10*5	Middle	PBT	White	Φ15.6*Φ9.4*6.3	Φ16.95*Φ8.3*6.7	1.0
15	15*10*6 Top	Top	PBT	Black/White	Φ15.45*Φ9.64*6.37	Φ16.52*Φ8.8*7.5	0.7
16	15*10*6	Middle	PBT	Black	Φ15.5*Φ9.5*6.6	Φ16.6*Φ8.2*7.8	0.8
17	16*10*8	Middle	PBT	Black/White	Φ16.5*Φ9.75*8.5	Φ17.6*Φ8.58*9.8	1.2
18	16.9*12.3*6.5	Middle	PBT	White	Φ17.53*Φ11.89*6.9	Φ19.26*Φ10.7*8.13	1.0
19	17.5*12.5*6	Top	PBT	Black/White	Φ17.88*Φ12.1*6.67	Φ19.07*Φ10.76*8.05	0.8
20	17.8*13*5	Middle	PBT	Black/White	Φ18.35*Φ12.50*5.5	Φ19.5*Φ11.5*6.45	0.8
21	17.8*13*5 Split Type	Top	PBT	White	18.4*12.9*5.35	19.52*11.65*6.45	0.8
22	18*11*10	Middle	PBT	Black/White	Φ18.4*Φ10*10.4	Φ20.35*Φ8.9*12.05	1.8
23	18*11*10 Jiayou Case	Middle	PBT	Grey	Φ18.45*Φ10.2*10.4	Φ20*Φ8.6*12	1.6
24	18*11*8 8	Middle	PBT	White	Φ17.94*Φ10.48*8.4	Φ19.94*Φ9.06*9.54	1.0
25	18*11*8 Old Mold	Middle	PBT	Black/White	Φ18.45*Φ10.65*8.55	Φ20.3*Φ9.1*9.56	1.4
26	18*14*5	Middle	PBT	White	Φ18.3*Φ13.6*5.4	Φ19.7*Φ12.25*6.7	0.8
27	Special Vehicle Core Case	Middle	FR50	Rice White	Φ19.73*Φ12.52*14.46	Φ22.92*Φ11.45*16.58	5.0
28	18.5*13*5 Common Case	Middle	PBT	White	Φ19.21*Φ12.41*6.5	Φ21.13*Φ10.9*7.3	1.2
29	18.5*13*5 Catech Case	Middle	PBT	White	Φ19.21*Φ12.41*6.5	Φ21.13*Φ10.9*7.3	1.2
30	18*12*4.5 Small Case	Top	PBT	White	18.65*11.6*5	19.9*10.4*6.48	1.0
31	18*12*4.5 Big Case	Top	PBT	White	18.7*11.75*5	20.2*10.45*6.45	1.0
32	19*14*8	Middle	PBT	Black/White	Φ20.4*Φ13.4*8.6	Φ22.7*Φ12*9.8	1.8
33	19*15*5	Top	PA66	White	Φ19.8*Φ14.5*5.7	Φ21*Φ13.3*7.2	1.0
34	19*17*5	Top	PBT	White	Φ19.5*Φ16.4*5.5	Φ21.1*Φ14.7*6.9	1.0
35	20*14*5	Middle	PBT	Black/White	Φ21.17*Φ13.49*5.73	Φ22.71*Φ12.46*6.51	1.0
36	20*12*10	Middle	PBT	Black/White	Φ20.6*Φ11.64*11	Φ22.95*Φ10.2*12.50	2.2
37	20*12*8	Middle	PBT	Black/White	Φ20.5*Φ11.8*8.5	Φ22.2*Φ10.7*10.1	1.6
38	20*14*10 Big Case	Middle	PBT	White	Φ20.65*Φ13.5*10.5	Φ22.7*Φ12.2*11.8	2.0
39	20*14*10 Small Case	Middle	PBT	Black/White	Φ20.65*Φ13.5*10.5	Φ22.7*Φ12*11.8	2.0



CoilCore

# GUANGZHOU AMORPHOUS ELECTRONIC TECHNOLOGY CO.,LTD

## Case List

---- Case Range: 20mm <OD <30mm

No.	Bare Core Size (OD*ID*H) (mm)	Sealing	Material	Color	Case Inner Space (mm) ±0.1	Case Size (mm) ±0.1	Gross weight (g)
1	21*14*8	Middle	PBT	Black/White	Φ21.5*Φ13.6*8.36	Φ23.05*Φ12.50*9.6	1.5
2	21*15*10 Middle	Middle	PBT	Black/White	Φ21.6*Φ14.3*10.9	Φ23.75*Φ12.9*12.3	2.2
3	21*15*10	Top	PBT	White	Φ21.5*Φ14.4*10.45	Φ23.5*Φ12.9*12.3	2.4
4	21*15*8	Middle	PBT	Black	Φ22*Φ14.7*8.9	Φ23.7*Φ13.6*10.4	1.8
5	21*16*10 Big case	Middle	PBT	Black/White	Φ22.2*Φ14.7*10.8	Φ23.76*Φ13.55*12.25	2.0
6	21*16*10D Middle	Middle	PBT	Black/White	Φ23.1*Φ15.1*10.6	Φ25*Φ13.7*11.9	2.2
7	21*16*10D	Top	PBT	White	Φ23.5*Φ14.9*10.6	Φ24.9*Φ13.9*11.8	2.4
8	21*16*10 Small Case	Middle	PBT	White	Φ22.2*Φ14.7*10.5	Φ23.76*Φ13.55*11.9	1.8
9	21.5*13.2*10	Middle	PBT	Black/White	Φ22.1*Φ12.5*10.9	Φ24.1*Φ11.6*12.6	2.4
10	22*15*8	Middle	PBT	Black/White	Φ23.0*Φ14.5*8.5	Φ24.5*Φ13.0*9.5	1.6
11	22*17*10	Top	PBT	Black	Φ23.2*Φ16.5*10.8	Φ24.5*Φ15.5*12.5	1.5
12	22*17*10D	Middle	PBT	White	Φ23*Φ16.35*11	Φ24.75*Φ15.5*12.3	2.1
13	22*17*6.5 Black Bottom White	Top	PBT	Black/White	Φ22.5*Φ16.6*7.1	Φ23.7*Φ15.8*8.3	1.2
14	22*17*6.5 #87 Plate	Top	PBT	White	Φ22.3*Φ16.7*6.85	Φ23.7*Φ15.7*8.2	1.2
15	22*17*6.5 #48 Plate	Top	PBT	Black	Φ22.3*Φ16.7*6.7	Φ23.72*Φ15.7*8.1	1.2
16	22*17*7	Middle	PET	Yellow	Φ24.09*Φ15.36*9.98	Φ22.06*Φ17.23*8.2	2.0
17	22.8*17*3	Top	PBT	Black/White	Φ22.87*Φ14.83*5.24	Φ23.35*Φ16.67*4.56	1.1
18	23*16*10	Middle	PBT	White	Φ23.5*Φ15.4*10.9	Φ25.2*Φ14*12.5	2.2
19	23*16*6	Middle	PBT	White	Φ23.6*Φ15.6*6.7	Φ25*Φ14.2*8.1	1.4
20	23*16*8	Middle	PBT	Black/White	Φ23.3*Φ15.45*9.05	Φ24.9*Φ14.1*10.8	1.8
21	23*17*6	Middle	PBT	White	Φ24.77*Φ15.56*8.67	Φ23.28*Φ16.25*6.9	2.0
22	23*18.5*8	Middle	PBT	White	Φ23.5*Φ18.1*9.1	Φ24.95*Φ16.6*10.95	2.0
23	23*19*9	Top	PBT	Black	Φ24.1*Φ18*9.2	Φ25.1*Φ16.9*10.5	1.8
24	23.1*17.6*6.5	Top	PBT	Black/White	Φ23.84*Φ17.08*6.99	Φ25.04*Φ15.6*8.2	1.5
25	24*15*15	Middle	PBT	Black/White	Φ24.8*Φ14.35*15.9	Φ26.7*Φ13.15*17.2	3.0
26	24*17*20	Middle	PBT	White	Φ27.5*Φ16.5*20.7	Φ27.6*Φ15.2*23	5.0
27	24*17*8	Middle	PBT	White	Φ26.5*Φ15.3*9.8	Φ25*Φ16.1*8.4	2.0
28	24*18*10	Middle	PBT	Black/White	Φ24.95*Φ17.4*10.76	Φ26.8*Φ16.0*12.4	2.6
29	25*13*17	Middle	PBT	Black/White	Φ25.40*Φ12.8*16.4	Φ26.90*Φ11.60*18.00	3.0
30	25*15*10 With clapboard	Top	FR50	Black	Φ26.3*Φ14.4*10.4	Φ27.9*Φ13.3*12.5	3.2
31	25*15*13	Middle	PBT	White	Φ26.05*Φ12.9*15.7	Φ27.8*Φ11.9*17.7	3.6
32	25*15*13 With clapboard	Top	PBT	Black/White	Φ25.62*Φ14.76*13.48	Φ27.3*Φ12.97*15.08	3.4
33	25*16*10	Middle	PBT	Black/White	Φ25.85*Φ15.45*10.9	Φ27.46*Φ13.84*12.20	2.6
34	25*16*10 Top Cover	Top	BASF	Red	26.5*15.2*11.1	28.3*13.8*12.9	2.4
35	25*16*10 Top Cover	Top	BASF	Red	27.25*14.48	Thickness 0.96	0.6
36	25*16*10 Top Cover	Top	BASF	Red	35.28*32.45	Height 7.58	3.6
37	25*16*10 Plugboard	Top	BASF	Red	14.27*13.43	Thickness 2.93	0.5
38	25*16*10 Protecting case	Middle	PBT	White	Φ26.5*Φ15.3*10.8	Φ28.9*Φ13.9*12.8	4.0
39	25*16*10 Base Middle	Middle	PBT	White	Hole Distance 15.7*18.1	26.29*19.97	1.3
40	25*16*10 with clapboard	Middle	PBT	White	16.69*13.70	Thickness 1.05	0.4
41	25*17*10	Middle	PBT	Black/White	Φ25.85*Φ16.5*11.1	Φ28.0*Φ15.2*12.45	2.8
42	25*18*12	Middle	PBT	Black	Φ25.9*Φ16.45*12.7	Φ27.2*Φ14.9*14.2	2.4
43	25*18*9	Middle	PBT	White	Φ26.5*Φ16.6*10.5	Φ25.3*Φ17.8*9.3	1.8
44	25*19*8	Top	PBT	White	Φ25.8*Φ18.4*8.5	Φ26.95*Φ17.2*9.8	1.8
45	25*20*10	Top	PBT	White	Φ25.8*Φ19.2*10.45	Φ27.9*Φ17.3*12.45	3.2
46	25*20*6	Middle	PBT	Black/White	Φ25.61*Φ19.47*6.42	Φ27.32*Φ17.94*8.0	1.9
47	25*15*4 Strengthen	Middle	PBT	White	Φ26.61*Φ13.42*6.15	Φ25.24*Φ14.62*5.03	1.4
48	26*16*10	Top	PBT	Black/White	Φ26.65*Φ15.60*10.59	Φ28.4*Φ13.90*12.95	3.4
49	26*16*8	Middle	PBT	Black/White	Φ26.25*Φ15.4*8.77	Φ13.8*Φ28.1*10.30	2.5
50	26*19*10	Middle	PBT	White	Φ26.8*Φ18.2*10.7	Φ28.85*Φ16.7*12.5	3.2
51	26*19*6.5	Top	PBT	Black/White	Φ27*Φ18.75*7.19	Φ28.34*Φ17.32*8.35	1.6
52	27*19*12	Middle	PBT	Black/White	Φ27.4*Φ18.50*12.4	Φ29*Φ16.95*13.7	2.8
53	27*19*8	Middle	PBT	Black/White	Φ27.6*Φ18.2*8.45	Φ29.4*Φ16.7*9.6	2.0
54	28*16*25	Top	PBT	White	Φ28.8*Φ15.2*25.6	Φ30.8*Φ13.6*27.75	7.0



## Case List

---- Case Range: 20mm <OD <30mm

No.	Bare Core Size (OD*ID*H) (mm)	Sealing	Material	Color	Case Inner Space (mm) ±0.1	Case Size (mm) ±0.1	Gross weight (g)
55	28*17*10	Middle	PBT	White	Φ28.8*Φ16.8*10.65	Φ32.5*Φ15*13.7	3.5
56	28*17*10 Partition	Middle	PBT	White	16.06*15.50	Thickness 1.28	0.5
57	28*17*10 Base	Middle	PBT	White	Base Φ1.5 27.5*24.5	18*22	2.2
58	28*17*8	Middle	PBT	Black/White	Φ28.4*Φ16.8*8.75	Φ29.9*Φ15.4*10.35	2.6
59	28*18*10	Middle	PBT	White	Φ31.5*Φ15*12.5	Φ28.7*Φ16.8*11	4.5
60	28*18*10 Base	Middle	PBT	White	Base Φ1.5 *22.1*18	26.18*22.8	2.1
61	28*18*10 Partition	Middle	PBT	White	15.25*15.38	Thickness 1.07	0.4
62	28*18*15	Middle	PBT	White	Φ30.1*Φ16.2*17	28.3*17.5*15.6	3.8
63	28*18*15	Middle	PBT	White	Φ30.04*Φ16.03*17.47	Φ28.26*Φ17.51*16.2	4.0
64	28*19*10	Top	FR52	White	Φ28.36*Φ18.25*10.45	Φ30.08*Φ16.65*12.6	4.5
65	28*19*12	Top	PET	Light Yellow	Φ28.7*Φ18*12.2	Φ30.7*Φ16.5*14.2	3.8
66	29*20*8	Middle	PBT	Black/White	Φ30.16*Φ19.35*8.65	Φ32.0*Φ18.03*9.9	2.8
67	29*21*10	Middle	PBT	Black/White	Φ29.66*Φ20.48*11.26	Φ32.15*Φ18.87*13.28	4.0
68	29*21*6.5	Top	PBT	Black/White	Φ29.66*Φ20.4*7.06	Φ31.15*Φ19*8.4	2.0
69	29*23.5*5	Middle	PBT	Black/White	Φ29.5*Φ22.68*5.57	Φ31.1*Φ20.98*7.18	2.0
70	30*20*10 Middle	Middle	PBT	Black/White	Φ31.06*Φ19.42*10.9	Φ32.66*Φ17.75*12.5	3.8
71	30*20*10 Middle	Middle	PBT	Black/White	Φ30.64*Φ19.14*11.43	Φ33.75*16.82*13.7	5.9
72	30*20*10	Top	PBT	Black/White	Φ30.5*Φ19.3*10.65	Φ32.44*Φ17.75*12.35	3.5
73	30*20*8	Middle	PBT	Black/White	Φ30.8*Φ19.5*8.7	Φ32.85*Φ18.1*9.95	2.8
74	T30*20*15 Top Cover	Top	PBT	White	34*16.9*18	31.5*18.9*15.6	5.0
75	30*20*15	Middle	PBT	Black/White	31.2*19.2*15.9	33.5*17.7*17.9	5.5

### Case List

---- Case Range: OD >30mm

No.	Bare Core Size (OD*ID*H) (mm)	Sealing	Material	Color	Case Inner Space (mm) ±0.1	Case Size (mm) ±0.1	Gross weight (g)
1	30.5*20*15.5	Middle	PBT	White	31.5*19.6*15.8	35.8*17.6*18.2	10.5
2	T30.5*20*15 Top Cover	Top	PBT	White	31.5*18.7*15.5	33.9*16.9*17.95	6.5
3	30.5*20*15	Middle	PBT	White	31.5*18.9*16	35.78*16.3*18.2	8.0
4	30.5*20*15 Base	Middle	PBT	White	Distance Φ1.95*22*23.9	Base 28*32	4.0
5	30.5*20*15 Partition	Middle	PBT	White	21.12*16.68	Thickness 1.47	0.9
6	31.7*23*8	Middle	PBT	White	32.2*22.2*8.5	33.7*20.9*9.9	2.8
7	32*20*10B-B Base	Middle	PBT	White	Base Φ1.75* 21.8*17.8	28.5*24.5	2.8
8	32*20*10E Partition Base		PBT	White	Base Φ1.4* 18*22	27*24	2.6
9	32*20*10 Base		PBT	White	39*26*1.5	Φ1.3 16.5*30	3.0
10	32*20*10 Base		PBT	White	24.5*22	Φ1.35*18*22 (Hole Size &	3.0
11	32*20*10	Middle	PBT	Black/White	Φ32.6*Φ19.0*11.3	Φ34.3*Φ17.40*12.9	4.0
12	32*20*10 Strengthen	Middle	PBT	White	Φ32.37*Φ18.76*11.65	Φ35.38*Φ16.5*12.85	6.0
13	32*20*10 Partition Base A	A	PBT	Antai	BaseΦ2.0 *24 *22	32*28	3.7
14	32*20*10 Partition Base B	B	PBT	Hisense	BaseΦ1.4* 21*17	28.5*24.5	3.6
15	32*20*10 Partition Base C	C	PBT	Oaks	BaseΦ1.4*22*18	31*26	4.5
16	32*20*10 Partition Base YMX		PBT	YMX	BaseΦ2.0*24*22	32*28	4.4
17	32*20*10 Partition Base		PBT	Cloud road	BaseΦ2.0*24*22	32*28	4.4
18	32*20*10 Partition Base		PBT	Tamura	BaseΦ2.0*24*22	32*28	4.5
19	32*20*10 Base		PBT	Shoichi	BaseΦ2.0*22*18	28*24	2.5
20	32*20*10	Middle	PBT	White	32.3*19.4*11.5	34.5*17.9*12.9	4.0
21	32*20*10H	Middle	PBT	White	34.51*17.88*12.84	31.93*19.69*11.44	4.0
22	UT32*20*10	Middle	PBT	Blue	34.16*17.88*12.92	31.99*19.40*10.96	4.3
23	32*26*5	Middle	PBT	White	35.2*25.3*5.5	34.9*23.7*7.5	3.5
24	32.8*24.4*6.5	Top	PBT	Black/White	Φ33.25*Φ24.06*7.07	Φ34.7*Φ22.9*8.45	2.4
25	33*21*15	Top	PBT	Black	33.4*20.25*16.63	Φ35.1*Φ18.73*17.36	5.0
26	33*23*15 Top Cover	Top	PBT	White	33.6*22.4*15.5	35.9*20.85*18	6.0
27	33*23*15 Three Phase		PBT	White	28*30		3.5
28	33*24*25	Middle	PBT	Black	33.8*23*25.4	36.8*21.5*28.6	11.0
29	35*20*30	Middle	PBT	Black	36.2*19*32	38.5*17*33.1	9.0
30	35*20*30	Middle	PBT	White	36.2*19*32	38.5*17*33.1	9.0
31	36*32*7	Top	PBT	White	37.35*29.43*8.26	36.43*30.44*6.88	2.5
32	36*19*13	Middle	PBT	White	39.06*15.97*15.85	36.2*18.5*13.65	8.2
33	36*19*13 Base	Middle	PBT	White	Base Hole 1.4*22*17.9	27.37*24.61	3.0
34	36*19*13 Partition	Middle	PBT	White	21.78*16.04	Thickness 1.18	0.8
35	36*30*6.5	Middle	PBT	Black	36.8*29.5*6.5	38.5*28.1*8.2	2.8
36	37*23*15	Middle	PBT	Black	37.5*22.5*16	42.6*19.8*18.2	11.0
37	37*23*15 Partition	Middle	PBT	Black	21.40*19.75	Thickness 1.53	1.0
38	37*23*15 Top Cover	Middle	PBT	Black	Base Hole Φ2.3*24*22	28*32	4.0
39	37*30*6.5	Top	PBT	Black/White	Φ37.8*Φ29.5*7	Φ39.18*Φ28.0*8.38	2.6
40	37.6*32*6.5	Top	PBT	Black/White	Φ38.10*Φ31.45*6.9	Φ39.6*Φ30*8.26	2.8
41	38*30*7 Top Cover	Top	PBT	White	Φ38.3*Φ30*7	Φ39.6*Φ29*8.35	3.2
42	38*24*15	Middle	FR530	Yellow	Φ37.66*23.86*15.43	Φ40.84*Φ21.09*18.43	11.0
43	38.1*30.4*6.5	Top	PBT	Black/White	Φ38.6*Φ30.3*6.7	Φ40.3*Φ28.75*8.4	3.0
44	39.1*30.8*6.5	Top	PBT	Black/White	Φ39.8*Φ30.7*7	Φ41.36*Φ29.0*8.36	3.2
45	40*25*10	Middle	PBT	White	41*24.4*11.1	43.6*22.4*14.3	9.0
46	40*25*15	Middle	PBT	White	40.2*24.5*15.9	43*22.4*18.2	12.0
47	40*25*15	Middle	PBT	Black	41*24.8*15.8	44.5*21.7*18.7	12.3
48	40*25*15 Base	Middle	PBT	Black	Base HoleΦ2.45*16*23	Base 32*44.7	3.8
49	40*25*15 Partition	Middle	PBT	Black	22.21*21.82	Thickness 1.26	1.0
50	40*30*3	Middle	PBT	Red	42.4*Φ27.85*4.8	40.85*29.5*3.2	2.8
51	40*32*15 Base		PBT	White	56.98*34.18	Height 6.4	4.8
52	40*32*15 Three Phase		PBT	White	34*57		4.5

## Case List

---- Case Range: OD >30mm

No.	Bare Core Size (OD*ID*H) (mm)	Sealing	Material	Color	Case Inner Space (mm) ±0.1	Case Size (mm) ±0.1	Gross weight (g)
53	45*30*15 PBT	Top	PBT	Black/White	Φ45.6*Φ29.35*15.5	Φ47.8*Φ27.45*17.95	10.0
54	45*30*15 PET	Top	PET	Light Yellow	Φ45.6*Φ29.35*15.5	Φ47.8*Φ27.45*17.7	11.0
55	46*28*29	Middle	PBT	White	Φ48*Φ26.6*29.5	Φ51.1*Φ24.8*33.2	23.0
56	50*32*15	Middle	PA66	Black	Φ50.42*Φ30.7*15.6	Φ53.2*Φ29*18.4	12.5
57	50*32*20	Middle	PBT	Black	Φ49.7*Φ31*21	Φ53.4*Φ28.3*24.3	20.0
58	53*30*50	Middle	PBT	Black	Φ54.4*Φ28.7*50.6	Φ56.8*Φ26.5*53.2	31.5
59	60*35*20 Partition Base	Middle	PBT	Black/White	Φ60.7*Φ33.8*21.6	Φ64.07*Φ31.3*24.9	40.8
60	60*48*15	Middle	PBT	Black/White	Φ61.58*Φ48.3*16	Φ64.12*Φ46*18.8	16.0
62	63*54.5*31	Middle	PBT	Black/White	Φ63.8*Φ53.5*32.8	Φ66*Φ51.52*35.1	23.0
63	64*40*20	Middle	PA66	Black	Φ63.8*Φ38.9*20	Φ67.5*Φ35*25	30.0
64	80*50*40 Three Phase	Middle	PET	White	Φ81.5*Φ48.5*41	Φ86*Φ45.5*45	25.0
65	22*9*8 Leakage		PBT	Blue/Yellow	Φ20.9*Φ10*7.6	Φ22*Φ9.3*8.3	1.0